




**DRAGON SHIELD**  
*Laminated Premium Asphalt Shingles*



**"Elevate Your  
Roofing Aesthetics"**



# ARCHITECTURAL LAMINATED PREMIUM SHINGLES



ONYX BLACK



FOREST GREEN



CHARCOAL GREY




RIVIERA RED




ESTATE GREY




DUAL BROWN



PACIFIC BLUE



DRIFT WOOD




BROWNWOOD



HARBOUR RED



DESERT TAN




BLACK



# 3 TAB




RIVERA RED




CHARCOAL GREY



DUAL BROWN




FOREST GREEN



ESTATE GREY



PACIFIC BLUE



ONYX BLACK




BROWNWOOD




BLACK VELVET






Dragonshield designer premium roofing shingles offer superior properties to home owners since 1985.

Dragonshield shingles are yours frontline of defence. They protect, perform and look their best at a 35 years of limited warranty period.



CHARACTERISTIC	UNITS	NORMAL VALUE	TEST METHOD	STANDARD LIMITS
EXPOSURE:	mm(in)	149(5 7/8)	-	-
TEAR STRENGTH:	g	PASS	ASTM D 1922	MIN:1700
HEAT RESISTANCE:	-	PASS	-	90°C (192° F)
STABILIZED BITUMEN WEIGHT:	g/m <sup>2</sup> (lbs/100ft <sup>2</sup> )	PASS	ASTM D228	MIN:2000 (41)
GRANULE RETENTION:	%	PASS	ASTM D4977	MIN:90
FIRE RATING:	-	CLASS A	ASTM E108	MIN: CLASS A
Length/pc:	mm (in)	1000 (39.37)	-	-
Width/pc:	mm (in)	-	-	-
Quantity/Bundle:	pcs	-	-	-
Weight/Bundle:	kgs (lbs)	-	-	-
Coverage/Bundle:	m <sup>2</sup>	-	-	-




### Shingle Dimensions

Measurement	Normative Value
LENGTH	1000±3mm
WIDTH	335±3mm
WEIGHT	28kg/bundle
THICKNESS	5.6±0.2mm
SQUARE METERS/bundle	2.324 m <sup>2</sup> /bundle
WIND RESISTANCE	≥120 Kph
PACKING	16 pcs/bundle, bag with pallet



SCAN TO KNOW MORE ABOUT US



**AUTHORISED DEALER**